



TEST REPORT

CLIENT:	ForeverLawn Inc.	REPORT NUMBER:	60951
	8007 Beeson St	LAB TEST NUMBER:	2614-9783
	Louisville, OH 44641	DATE:	June 6, 2014

TEST MATERIAL:

Turf ID	Infill
K9Grass Sport	None

SUBJECT: Testing Services Inc was instructed by the client to determine the flammability of finished synthetic turf when exposed to an ignition source under controlled laboratory conditions.

TEST METHOD: **ASTM D2859: Standard Test Method for Flammability of Finished Textile Floor Covering Materials**

Code of Federal Regulations: 16 CFR 1631 (FF2-70) < 6ft & 24 ft²

Code of Federal Regulations: 16 CFR 1630 (FF1-70) > 6ft & 24 ft²

TEST SCOPE: This test method is part of the standards for the surface flammability of carpets and rugs of the U.S. Consumer Product Safety Commission. The acceptance criteria of this standard calls for the charred portion of at least seven out of eight individual specimens not extend to within 1" of the steel frame placed on top of the sample when exposed to a centrally placed methenamine pill tablet.

TEST DATA:

Specimen Number	Un-charred Area
01	>2.0"
02	>1.0"
03	>2.0"
04	>2.0"
05	>2.0"
06	>1.0"
07	>2.0"
08	>2.0"

TEST SUMMARY:

Pass	Failure	Status
8	0	Passes

Digitally signed by Erle Miles, Jr. VP
 DN: cn=Erle Miles, Jr. VP, o=Testing
 Services Inc., email=tsioffice@windstream.net, c=US
 Date: 2014.06.09 16:40:58 -0400

Erle Miles, Jr V.P., Testing Services Inc

TSi Accreditation:

Our laboratory is accredited with US Dept of Commerce, National Institute of Standards and Technology: ISO/IEC 17025:2005. Our code # is NVLAP 100108-0. However, it should be noted that some or all of the tests performed are not under our scope of accreditation due to the work not fully conforming to the standard, or it being outside the scope of our accreditation, or subcontracted.

Uncertainty:

We undertake all assignments for our clients on a best effort basis. Our findings and judgments are based on the information to us using the latest test methods available.